

Ilpo Kojolan tieteelliset julkaisut, päivitetty 21.11.2009

Ennakkotarkastetut englanninkieliset julkaisut

KOJOLA, I. 1986: Rutting behaviour in an enclosed group of wild forest reindeer (*Rangifer tarandus fennicus* Lönnb.) – Rangifer, Special Issue No. 1: 173 – 179.

KOJOLA, I. & NIEMINEN, M. 1988: Aggression and nearest neighbour distances in female reindeer during the rut. – Ethology 77: 217 – 224.

KOJOLA, I. 1989: Mother's dominance status and differential investment in reindeer calves. – Animal Behaviour 38: 177 – 185.

KOJOLA, I. & ELORANTA, E. 1989: Influences of maternal body weight, age, and parity on sex ratio in semidomesticated reindeer (*Rangifer t. tarandus*). – Evolution 43: 1331 – 1336.1

KOJOLA, I. 1990: Intraherd spacing behaviour of female reindeer: effects of kinship, age and habituation. – Applied Animal Behaviour Science 26: 41 – 47.

KOJOLA, I. & ELORANTA, E. 1990: Reproductive investment by females in semi-domesticated reindeer. – Rangifer, Special Issue No. 3: 343 – 349.

KOJOLA, I. 1991: Influence of age on the reproductive effort of male reindeer. – Journal of Mammalogy 72: 208 – 210.

KOJOLA, I. 1991: Reproductive status and differential response to attacking insects in female reindeer. – Applied Animal Behaviour Science 32: 91 – 93.

KOJOLA, I., HELLE, T. & AIKIO, P. 1991: Productivity of semi-domesticated reindeer in Finland. – Rangifer 11(2): 53 – 63.

HELLE, T. & KOJOLA, I. 1993: Reproduction and mortality of Finnish semi-domesticated reindeer in relation to density and management strategies. – Arctic 46: 72 – 77.

KOJOLA, I. 1993: Early maternal investment and growth in reindeer. – Canadian Journal of Zoology 71: 753 – 758.

KOJOLA, I. & HELLE, T. 1993: Calf harvest and reproductive rate of reindeer in Finland. – Journal of Wildlife Management 57: 451 – 453.

KOJOLA, I. & HELLE, T. 1993: Regional differences in density-dependent mortality and reproduction in Finnish reindeer. – Rangifer 13(1): 33 – 38.

HELLE, T. & KOJOLA, I. 1994: Body mass variation in semidomesticated reindeer. – Canadian Journal of Zoology 72: 681 – 688.

KOJOLA, I. & HELLE, T. 1994: Offspring sex ratio adjustment in reindeer, *Rangifer tarandus*. – Annales Zoologici Fennici 31: 405 – 410.

- KOJOLA, I., HELLE, T., NISKANEN, M. & AIKIO, P. 1995: Effects of lichen biomass on winter diet, body mass and reproduction of semi-domesticated reindeer *Rangifer t. tarandus* in Finland. – *Wildlife Biology* 1: 33 – 38.
- KOJOLA, I. & HELLE, T. 1996: Size-related changes in winter condition of female and male reindeer calves. – *Canadian Journal of Zoology* 74: 1174 – 1177.
- KÄÄR, P., JOKELA, J., HELLE, T. & KOJOLA, I. 1996: Direct and phenotypic selection on life-history traits in three pre-industrial human populations. – *Proceedings Royal Society London B* 263: 1475 – 1480.
- KOJOLA, I. 1997: Behavioural correlates of female social status and birth mass of male and female calves in reindeer. – *Ethology* 103: 809 – 814.
- KOJOLA, I. 1997: Social status and physical condition of mother and sex ratio of offspring in cervids. – *Applied Animal Behaviour Science* 51: 267 – 274.
- NYGREN, T. & KOJOLA, I. 1997: Twinning and fetal sex ratio in moose: effects of maternal age and mass. – *Canadian Journal of Zoology* 75: 1945 – 1948.
- KOJOLA, I. 1998: Sex ratio and maternal investment in ungulates. – *Oikos* 83: 567 – 573.
- KOJOLA, I., HELLE, T., HUHTA, E., NIVA, N. 1998: Foraging conditions, tooth wear and herbivore body reserves: a study of female reindeer – *Oecologia* 117: 26 – 30.
- KÄÄR, P., JOKELA, J., MERILÄ, J., HELLE, T. & KOJOLA, I. 1998: Sexual conflict and remarriage in preindustrial human populations: causes and fitness consequences. – *Evolution and Human Behaviour* 19 : 139 – 151.
- KOJOLA, I. & LAITALA, H.-M. 2000: Changes in the structure of an increasing brown bear population with distance from core areas: another example of presaturation female dispersal? - *Annales Zoologici Fennici* 37: 59 – 64.
- KOJOLA, I. & LAITALA, H.-M. 2001: Body size variation of brown bear in Finland. – *Annales Zoologici Fennici* 38: 173 – 178.
- HELLBORG, L., WALKER, C., RUENESS, E. R., STACY, J. E., KOJOLA, I., VALDMANN, H., VILA, C., ZIMMERMANN, B., JAKOBSEN, K. & ELLEGREN, H. 2002: Differentiation and levels of genetic variation in northern European lynx (*Lynx lynx*) populations revealed by microsatellites and mitochondrial DNA analyses. – *Conservation Genetics* 3: 97 – 111.
- KOJOLA, I. & KUITTINEN, J. 2002: Wolf attacks on dogs in Finland. – *Wildlife Society Bulletin* 30: 498 - 501.
- FLAGSTADT, Ø., WALKER, C. W., VILA, C., SUNDQVIST, A.-K., FERNHOLM, B., HUFTHAMMER, A. K., WIIG, Ø., KOJOLA, I. & ELLEGREN, H. 2003: Two centuries of the Scandinavian wolf population: patterns of genetic variability and migration during an era of dramatic decline. – *Molecular Ecology* 12: 869 – 880.

- KOJOLA, I., DANILOV, P. I., LAITALA, H.-M., BELKIN, V. & YAKIMOV, A. 2003: Brown bear population structure in core and periphery: analysis of hunting statistics from Russian Karelia and Finland. – *Ursus* 14: 17 – 20.
- LINNELL, J. D., SOLHBERG, E., BRAINERD, S., LIBERG, O., SAND, H., WABAKKEN, P. & KOJOLA, I. 2003: Is the fear of wolves justified? A Fennoscandian perspective. – *Acta Zoologica Lithuanica* 13: 34 – 40.
- SUOMINEN, O., NIEMELÄ, J., MARTIKAINEN, P., NIEMELÄ, P. & KOJOLA, I. 2003: Impact of reindeer grazing on ground-dwelling Carabidae and Curculionidae assemblages in Lapland. – *Ecography* 26: 503-513.
- VILA, C., WALKER, C., SUNDQVIST, A.-K., FLAGSTADT, Ø., ANDERZONE, Z., CASULLI, A., KOJOLA, I., VALDMANN, H., HALVERSON, J. & ELLEGREN, H. 2003: Combined use of maternal, paternal and bi-parental genetic markers for the identification of wolf-dog hybrids. – *Heredity* 90: 17 – 24.
- VILA, C., SUNDQVIST, A.-K., FLAGSTADT, Ø., SEDDON, J., BJÖRNERFELDT, S., KOJOLA, I., CASULLI, A., SAND, H., WABAKKEN & ELLEGREN, H. 2003: Rescue of a severely bottlenecked wolf (*Canis lupus*) population by a single immigrant. – *Proceedings Royal Society London B* 270: 91-97.
- KOJOLA, I., HUITU, O., TOPPINEN, K., HEIKURA, K., HEIKKINEN, S. & RONKAINEN, S. 2004: Predation on European wild forest reindeer (*Rangifer tarandus*) by wolves (*Canis lupus*) in Finland. – *Journal of Zoology (London)* 263: 229-235.
- KOJOLA, I., RONKAINEN, S., HAKALA, A., HEIKKINEN, S. & KOKKO, S. 2004: Interactions between wolves *Canis lupus* and dogs *C. familiaris* in Finland. – *Wildlife Biology* 10: 101-105.
- KAARTINEN, S., KOJOLA, I. & COLPAERT, A. 2005: Finnish wolves avoid roads and settlements. – *Annales Zoologici Fennici* 42: 423 - 432.
- ASPI, J., ROININEN, E., RUOKONEN, M., KOJOLA, I. & VILA, C. 2006: Genetic diversity, population structure, effective population size, and demographic history of the Finnish wolf population. – *Molecular Ecology* 15: 1561 – 1576.
- HELLE, T. & KOJOLA, I. 2006: Population trends of semi-domesticated reindeer in Fennoscandia. – In: Forbes, B., Bölder, L., Müller-Wille, L., Hukkinen, J., Müller, F., Gunslay, N., Konstantinov, Y. (eds.), *Reindeer Management in Northern Europe*. Ecological Studies vol. 184: 319 – 339. Springer-Verlag Berlin, Heidelberg 2005.
- KOJOLA, I., ASPI, J., HAKALA, A., HEIKKINEN, ILMONI, C. & RONKAINEN, S. 2006: Dispersal in expanding wolf population in Finland. – *Journal of Mammalogy* 87: 81 - 86.
- KOJOLA, I. & HEIKKINEN, S. 2006: Structure of expanded brown bear population at the edge of range in Finland. – *Annales Zoologici Fennici* 43: 258 - 262.
- SUNDELL, J., KOJOLA, I. & HANSKI, I. 2006: A new GSM-GPS method to study behaviour of brown bears. – *Wildlife Society Bulletin* 34: 446 – 450.
- KOJOLA, I., HALLIKAINEN, V., PESONEN, M., NYGREN, T. & RUUSILA, V. 2006: Trends and harvest in Finland's brown bear population. – *Ursus* 17: 18 - 21.

- NORBERG, H., KOJOLA, I. AIKIO, P. & NYLUND, M. 2006: Predation by golden eagle on semidomesticated reindeer in eastern Finnish Lapland. – *Wildlife Biology* 12: 393 – 402.
- WABAKKEN, P., SAND, H., KOJOLA, I., ZIMMERMANN, B., ARNEMO, J. M., PEDERSEN, H. C., LIBERG, O. 2007:: Multi-stage, long-stage natal dispersal by a GPS-collared Scandinavian wolf. – *Journal of Wildlife Management* 71: 1631 - 1634.
- SAARMA, URMAS; HO, SIMON Y. W.; PYBUS, OLIVER G.; KALJUSTE MARJU; TUMANOV, IGOR L.; KOJOLA, ILPO; VOROBIEV, ALEX A; MARKOV, NIKOLAI I.; SAVELJEV, ALEXANDER P.; VALDMANN, HARRI; LYAPUNOVA, ELENA A.; ABRAMOV, ALEXEI V; MÄNNIL, PEEP; KORSTEN, MARJU; VULLA, EGGLE; PAZETNOW, SERGEI V.; PAZETNOV, VALENTIN S.; PUTCHKOVSKIY, STANISLAV V.; RÖKOV, ALEXANDER M. 2007: Mitogenetic structure of brown bears (*Ursus arctos* L.) in northeastern Europe and a new time frame for the formation of European brown bear lineages. – *Molecular Ecology* 16: 401–413.
- SAARMA, U. & KOJOLA, I. 2007: Matrilineal genetic structure of the brown bear population in Finland. - *Ursus* 18: 30–37.
- HELLE, T. & KOJOLA, I. 2008: Demographics in an alpine reindeer herd: effects of density and winter weather. - *Ecography* 31: 221-330.
- ORDIZ, A. STØEN O.-G., SWENSON, J. E. KOJOLA, I. & BISCHOF, R. 2008: Distance-dependent effect of the nearest neighbor: spatiotemporal patterns in brown bear reproduction. - *Ecology* 89: 3327-3335.
- ASPI, J., ROININEN, E, KIISKILÄ, J., RUOKONEN, M., KOJOLA, I., BLJUDNIK, L., DANILOV, P. I., HEIKKINEN, S. & PULLIAINEN, E. 2009: Genetic structure of the Northwestern Russian wolf populations and gene flow between Russia and Finland. - *Conservation Genetics* 10: 815-826.
- COPELAND, J. P., AUBRY, K. B., LANDA, A., PERSSON, J., INMAN, R. M., KREBS, J., LOFROTH, E., GOLDEN, H., SQUIRES, J. R., MAGOUN, A., SCHWARTZ, M. K., WILMOT, J., COPELAND, C. L., YATES, R. E., KOJOLA, I. & MAY, R. 2009: The bioclimatic envelope of the wolverine (*Gulo gulo*): do climatic constraints limit its geographic distribution? – *Canadian Journal of Zoology* (in press).
- KAARTINEN, S., LUOTO, M. & KOJOLA, I. 2009: Carnivore-livestock conflicts: determinants of wolf (*Canis lupus*) depredation on sheep farms in Finland. - *Biodiversity and Conservation* 18: 3503 – 3517.
- KOJOLA, I., KAARTINEN, S., HAKALA, A. & VOIPIO, H.-M. 2009: Dispersal behavior and the connectivity between wolf populations in Northern Europe. - *Journal of Wildlife Management* 73: 309-313.
- KOJOLA, I., TUOMIVAARA, J., HEIKKINEN, S., HEIKURA, K., KILPELÄINEN, K., KERÄNEN, J., PAASIVAARA, A. & RUUSILA, V. 2009: Endangered prey and predators: European wild forest reindeer and wolves. - *Annales Zoologici Fennici* 46: 416-422.
- KORSTEN, M., HO, S. Y. W., DAVISON, J., PÄHN, B., VULLA, E., ROHT, M., TUMANOV, I., KOJOLA, I., ANDERZONE-LILLEY, Z., OZOLINS, J., PILOT, M., MERTZANIS, Y., GIANNAKOPOULOS, A., VOROBIEV,

A. A., MARKOV, N. I., SAVELJEV, A. P., LYAPUNOVA, E. A., ABRAMOV, A. A., MÄNNIL, P., VALDMAN, H., PAZETNOV, S. V., PAZETNOV, V. S., ROKOV, A. M. & SAARMA, U. 2009: Sudden expansion of a single brown bear maternal lineage across northern continental Eurasia after the last ice age: a general demographic model for mammals? - *Molecular Ecology* 18: 1963–1979.

MELIS, C., JEDRZEJEWSKA, B., APOLLONIO, M., BARTON, K. A., JEDRZEJEWSKI, W., LINNELL, J. D. C., KOJOLA, I., ADAMIC, M., CIUTI, S., DELEKAN, I., DYKYY, I., MATTIOLLI, L., SAGAYDAK, A., SAMTCHUK, N., SCHMIDT, K., SHKYRYA, M., SIDOROVICH, V. E. & ZAWADZKA, B. & ZHYLA, S. 2009: Predation has greater impact in less productive environments: variation in roe deer, *Capreolus capreolus*, population density across Europe. - *Global Ecology and Biogeography* 18: 724-734.

Ennakkotarkastetut suomenkieliset julkaisut

KOJOLA, I. & NIEMINEN, M. 1985: Emä-vasasuhteesta hirvieläimillä. – *Suomen Riista* 32: 74 – 86.

KOJOLA, I. & NIEMINEN, M. 1986: Metsäpeuran ja poron käyttäytymisekologiasta kiima-aikana. – *Suomen Riista* 33: 67 – 78.

KOJOLA, I. 1989: Hirvieläinvasojen sukupuolijakauman vaihtelun syistä – *Suomen Riista* 35: 101 – 107.

KOJOLA, I. & HELLE, T. 1992: Porolaidunten kantokyky. – *Suomen Riista* 38: 91 – 101.

KOJOLA, I. 1993: Peura- ja poroistutusten ekologiaa. – *Suomen Riista* 39: 74 – 84.

KOJOLA, I., HELLE, T., AIKIO, P. & NISKANEN, M. 1994: Talvilaidunten kunnon vaikutus poron ravintoon, kasvuun ja lisääntymiseen. – *Suomen Riista* 40: 18 – 25.

KOJOLA, I. & LAITALA, H.-M. 1999: Suomen karhukannan rakenteen alueelliset erot. – *Suomen Riista* 45: 73 – 79.

KOJOLA, I. 2000: Suden, hirven ja metsästyksen vuorovaikutussuhteet. – *Suomen Riista* 46: 76 – 81.

HELLE, T., KOJOLA, I. & TIMONEN, M. 2001: Lumipeitteen vaikutus Käsivarren porolukuihin: mikä on Pohjois-Atlantin säävaihtelun (NAO) merkitys? – *Suomen Riista* 47: 75 – 85.

HELLE, T. & KOJOLA, I. 2004: Porokantojen vaihtelut Fennoskandiassa – selitykset ja niiden arviointi. – *Suomen Riista* 50: 18 – 32.

KOJOLA, I., KUITTINEN, J. & RONKAINEN, S. 2004: Miksi susi käy koiran kimppuun? – *Suomen Riista* 50: 84 – 89.

HELLE, T. & KOJOLA, I. 2005: Ylä-Lapin porojen talvilaitumet: kolme näkökulmaa ylilaidunnukseen. – *Metsätieteen aikakauskirja* 3/2007: 253 – 266.

KOJOLA, I. 2007: Petojen vaikutus metsäpeurakannoissa. – *Suomen Riista* 53: 42 – 48.

KOJOLA, I. & HEIKKINEN, S. 2007: Yhteydet Suomen ja Skandinavian susikantojen välillä. – *Suomen Riista* 53: 7 – 14.

KOJOLA, I. & HOLMALA, K. 2009: Pienet hirvieläimet ja jänis – saaliseläinyhteisön merkitys ilveksen kuntoon. – *Suomen Riista* 55: 63 – 70.